

## Synthetic Drugs Reference List

Updated in December 2013 by the Pacific Southwest ATTC and South Southwest ATTC

For more information, contact Beth Rutkowski ([brutkowski@mednet.ucla.edu](mailto:brutkowski@mednet.ucla.edu)) or Jane Maxwell ([jcmawell@mail.utexas.edu](mailto:jcmawell@mail.utexas.edu))

---

Aarde, S.M., Huang, P.K., Creehan, K.M., Dickerson, T.J., & Taffe, M.A. (2013). The novel recreational drug 3,4-methylenedioxypropylamphetamine (MDPV) is a potent psychomotor stimulant: Self-administration and locomotor activity in rats. *Neuropharmacology*, *71*, 130-140.

Agudelo, M., Yndart, A., Morrison, M., Napuri, J., Samikkanu, T., Reddy, V.P., & Nair, M.P. (2012). *Effects of Synthetic Cannabinoids on the Blood Brain Barrier*. Presented at the 74th Annual College on Problems of Drug Dependence, La Quinta, California.

American Association of Poison Control Centers. (2012). *Facts about Bath Salts (Synthetic Cathinones)*. Alexandria, VA: Author.

American Association of Poison Control Centers. (2012). *Facts about Synthetic Marijuana (Synthetic Cannabinoids)*. Alexandria, VA: Author.

American Psychiatric Association (APA). (2013). *Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition*. Washington, DC: Author.

Angoa-Pérez, M., Kane, M.J., Briggs, D.I., Francescutti, D.M., Sykes, C.E., Shah, M.M., Thomas, D.M., et al. (2013). Mephedrone does not damage dopamine nerve endings of the striatum, but enhances the neurotoxicity of methamphetamine, amphetamine, and MDMA. *Journal of Neurochemistry*, *125*(1), 102-110.

Angoa-Pérez, M., Kane, M.J., Francescutti, D.M., Sykes, K.E., Shah, M.M., Mohammed, A.M., Thomas, D.M., et al. (2012). Mephedrone, an abused psychoactive component of “bath salts” and methamphetamine congener, does not cause neurotoxicity to dopamine nerve endings of the striatum. *Journal of Neurochemistry*, *120*(6), 1097-1107.

Arbo, M.D., Bastos, M.L., & Carmo, H.F. (2012). Piperazine compounds as drugs of abuse. *Drug and Alcohol Dependence*, *122*(3), 174-185.

Barratt, M.J., Cakic, V., & Lenton, S. (2013). Patterns of synthetic cannabinoid use in Australia. *Drug and Alcohol Review*, *32*, 141-146.

- Baumann, M.H., Partilla, J.S., Lehner, K.R., Thorndike, E.B., Hoffman, A.F., Holy, M., Rothman, R.B., Goldberg, S.R., Lupica, C.R., Sitte, H.H., Brandt, S.D., Tella, S.R., Cozzi, N.V., & Schindler, C.W. (2013). Powerful cocaine-like actions of 3,4-methylenedioxypropylamphetamine (MDPV), a principal constituent of psychoactive 'bath salts' products. *Neuropharmacology*, *38*(4), 552-562.
- Baumann, M.H., Ayestas Jr., M.A., Partilla, J.S., Sink, J.R., Shulgin, A.T., Daley, P.F., Brandts, S.D., Rothman, R.B., Ruoho, A.E., & Cozzi, N.V. (2012). The designer methcathinone analogs, mephedrone, and methylone, are substrates for monoamine transporters in brain tissue. *Neuropsychopharmacology*, *37*, 1192-1203.
- Bruno, R., Matthews, A.J., Dunn, M., Alati, R., McIlwraith, F., Hickey, S., Burns, L., & Sindicich, N. (2012). Emerging psychoactive substance use among regular ecstasy users in Australia. *Drug and Alcohol Dependence*, *124*(1-2), 19-25.
- Bruno, R., Matthews, A.J., Poesiat, R., & Sindicich, N. (2011). *Emerging Psychoactive Substances (EPS) in Australia: What's Available, What's Being Used, and Who is Using Them?* Presented at the Australasian Professional Society on Alcohol and Drug Abuse, Hobart, Tasmania.
- Center for Disease Control and Prevention. (2013). Acute kidney injury associated with synthetic cannabinoid use – Multiple states, 2012. *Morbidity and Mortality Weekly Report*, *62*(2), 93-110.
- Channing Bete Company, Inc. (2012). *Spice and Bath Salts: KEEPING TABS® on the Dangers of Synthetic Drugs* (Item number PS81428). South Deerfield, MA: Author. Brochure ordering information available at: [www.channing-bete.com](http://www.channing-bete.com).
- Channing Bete Company, Inc. (2012). *Synthetic Drugs: KEEPING TABS® on Dangers for Young People* (Item number PS81421). South Deerfield, MA: Author. Brochure ordering information available at: [www.channing-bete.com](http://www.channing-bete.com).
- Cheng, S., Yeo, J., Brown, E., & Regan, A. (2012). Bath salts and synthetic cannabinoids: A review. *American Academy of Emergency Medicine*, *19*(2), 19-22.
- Compton, D.M., Dietrich, K.L., Selinger, M.C., & Testa, E.K. (2011). 5-methoxy-N, N-di(iso)propyltryptamine hydrochloride (Foxy)-induced cognitive deficits in rat after exposure in adolescence. *Physiology & Behavior*, *103*(2), 203-209.

- Corazza, O., Assi, S., & Schifano, F. (2013). From “Special K” to “Special M”: The evolution of the recreational use of ketamine and methoxetamine. *CNS Neuroscience and Therapeutics*, 19(6), 454-460.
- Corazza, O., Schifano, F., & Parrott, A. (2003). Novel psychoactive substances: First international conference. *Human Psychopharmacology: Clinical and Experimental*, 28, 287-288.
- Dean, B.V., Stellpflug, S.J., Burnett, A.M., & Engebretsen, K.M. (2013). 2C or not 2C: Phenethylamine designer drug review. *Journal of Medical Toxicology*, 9, 172-178.
- Devane, W.A. et al. (1992). A novel probe for the cannabinoid receptor. *Journal of Medical Chemistry* 35(11), 2065-2069.
- Dimond, D. (2012). This Spice Can Kill You (Posted August 8, 2012). Available at: [http://www.huffingtonpost.com/diane-dimond/this-spice-can-kill-you\\_b\\_1757065.html](http://www.huffingtonpost.com/diane-dimond/this-spice-can-kill-you_b_1757065.html).
- Drug Enforcement Administration. (2013). *Desomorphine*. Washington, DC: Office of Diversion Control, Drug and Chemical Evaluation Section.
- Education Specialty Publishing, LLC. (2012). *INFOCUS: A Parent’s Guide – Synthetic Drugs* (Product number PB-DA179). Metairie, LA: Author. Brochure ordering information available at: [www.ESPublish.com](http://www.ESPublish.com).
- Education Specialty Publishing, LLC. (2010). *In the Know Series: Synthetic Cocaine – Unbearable Addiction* (Product number PB-DA160). Metairie, LA: Author. Brochure ordering information available at: [www.ESPublish.com](http://www.ESPublish.com).
- European Monitoring Centre for Drugs and Drug Addiction (EMCDDA). (2013). *Perspectives on Drugs: Controlling New Psychoactive Substances*. Luxembourg: Publications Office of the European Union.
- EMCDDA. (2012). *Drug Profile on Synthetic Cannabinoids*. Available at: <http://www.emcdda.europa.eu/publications/drug-profiles/synthetic-cannabinoids>.
- EMCDDA. (2012). *Drug Profile on Synthetic Cathinones*. Available at: <http://www.emcdda.europa.eu/publications/drug-profiles/synthetic-cathinones>.

- EMCDDA. (2011). *Annual Report, 2011: The State of the Drugs Problem in Europe*. Luxembourg: Office for Official Publications of the European Communities.
- EMCDDA. (2009). *Thematic Paper – Understanding the “Spice” Phenomenon*. Luxembourg: Office for Official Publications of the European Communities.
- Fantegrossi, W.E., Gannon, B.M., Zimmerman, S.M., & Rice, K.C. (2013). In vivo effects of abused “Bath Salt” constituent 3,4-methylenedioxypropylone (MDPV) in mice: Drug discrimination, thermoregulation, and locomotor activity. *Neuropsychopharmacology*, 38(4), 563-573.
- Fass, J.A., Fass, A.A., & Garcia, A.S. (2012). Synthetic cathinones (bath salts): Legal status and patterns of abuse. *Annals of Pharmacotherapy*, 46, 436-441.
- Fattore, L. & Fratta, W. (2011). Beyond THC: The new generation of cannabinoid designer drugs. *Frontiers in Behavioral Neuroscience*, 5(60), 1-12.
- Forrester, M.B. (2013). 2C series phenethylamine derivative exposures in Texas. *Substance Abuse*, 34, 81-82.
- Forrester, M.B. (2012). *Synthetic Cannabinoids (Marijuana Homologs) Reported to the Texas Poison Control Network Update: September 4, 2012 (monthly update)*. Austin, TX: Department of State Health Services.
- Forrester, M.B. (2012). *Synthetic Cathinones (Bath Salts) Reported to the Texas Poison Center Network Update: September 4, 2012 (monthly update)*. Austin, TX: Department of State Health Services.
- Forrester, M.B., Kleinschmidt, K., Schwarz, E., & Young, A. (2011). Synthetic cannabinoid exposures reported to Texas poison centers. *Journal of Addictive Disease*, 30(4), 351-358.
- Freeman, T.P., Morgan, C.J. Vaughn-Jones, J., Hussain, N., Karimi, K., & Curran, H.V. (2012). Cognitive and subjective effects of mephedrone and factors influencing use of a “new legal high”. *Addiction*, 107(4), 792-800.

- Galvez-Buccollini, J.A., Proal, A.C., Tomaselli, V., Trachtenberg, M., Coconcea, C., Chun, J., Mandschreck, T., Fleming, J., & Delisi, L.E. (2012). Association between age at onset of psychosis and age at onset of cannabis use in non-affective psychosis. *Schizophrenia Research, 139*, 157-160.
- Hadlock, G.C., Webb, K.M., McFadden, L.M., Chu, P.W., Ellis, J.D., Allen, S.C., Andrenyak, D.M., Vieira-Brock, P.L., German, C.L., Conrad, K.M., Hoonakker, A.J., Gibb, J.W., Wilkins, D.G., Hanson, G.R., & Fleckenstein, A.E. (2011). 4-Methylmethcathinone (Mephedrone): Neuropharmacological effects of a designer stimulant of abuse. *Journal of Pharmacology and Experimental Therapies, 339*(2), 530-536.
- Hermanns-Clausen, M., Kneisel, S., Szabo, B., Auwater, V. (In Press). Acute toxicity due to the confirmed consumption of synthetic cannabinoids: Clinical and laboratory findings. *Addiction*.
- Jacob, J., Monte, A.A., Al-Jumaan, M., Bronstein, A.C., & Heard, K.J. (2012). A characterization of synthetic cannabinoid exposures reported to the National Poison Data System in 2010. *Annals of Emergency Medicine, 60*, 435-438.
- Jiang, X.-L., Shen, H.-W., Mager, D.E., & Yu, A.-M. (2013). Pharmacokinetic interactions between monoamine oxidase a inhibitor harmaline and 5-Methoxy-N,N-Dimethyltryptamine, and the impact of CYP2D6 status. *Drug Metabolism and Disposition: The Biological Fate of Chemicals, 41*(5), 975-986.
- Krasnegor, N.A. (Ed.). (1978). *Behavioral Tolerance: Research and Treatment Implications, NIDA Research Monograph 18*. Rockville, MD: Department of Health, Education, and Welfare.
- Loeffler, G., & Craig, C.A. (2013). Letter to the editor: The effect of legal bans on poison control center contacts regarding "Legal Highs," *Addiction, 108*(7), 1348-1349.
- Logan, B.K. (2012). *Testing Strategies to Monitor Novel/Emerging/Designer Drug Use in At-Risk Populations*. Presented at the 74th Annual College on Problems of Drug Dependence, La Quinta, California.
- Logan, B.K., Reinhold, L.E., Xu, A., Diamond, F.X. (2012). Identification of synthetic cannabinoids in herbal incense blends in the United States. *Journal of Forensic Sciences, 57*(5), 1168-1180.

Maxwell, J.C. (In Press). Psychoactive substances—Some new, some old: A scan of the situation in the U.S. *Drug and Alcohol Dependence*, e-Pub ahead of print.

Miotto, K., Striebel, J., Cho, A.K., & Wang, C. (2013). Clinical and pharmacological aspects of bath salt use: A review of the literature and case reports. *Drug and Alcohol Dependence*, 132(1-2), 1-12.

Müller, H., Sperling, W., Köhmann, M., Hutner, H.B., Kornhuber, J., and Maler, J.-M. (2010). Letter to the Editor. *Schizophrenia Research*, 118, 309-310.

Nakagawa, T., & Kaneko, S. (2008). Neuropsychotoxicity of abused drugs: molecular and neural mechanisms of neuropsychotoxicity induced by methamphetamine, 3,4-methylenedioxymethamphetamine (ecstasy), and 5-methoxy-N,N-diisopropyltryptamine (foxy). *Journal of Pharmacological Sciences*, 106(1), 2-8.

National Institutes of Health. (2012). MedlinePlus: Alcohol. Available at: <http://www.nlm.nih.gov/medlineplus/alcohol.html>.

National Institute on Alcohol Abuse and Alcoholism (NIAAA). (2010). *Beyond Hangovers: Understanding Alcohol's Impact on your Health*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.

National Institute on Drug Abuse (NIDA). (2012). *DrugFacts: Spice (Synthetic Marijuana)*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.

NIDA. (2012). *NIDA DrugFacts: Synthetic Cathinones ("Bath Salts")*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.

NIDA. (2012). *Messages from the Director: Marijuana's Lasting Effects on the Brain (September 2012)*. Available at: <http://www.drugabuse.gov/about-nida/directors-page/messages-director/2012/09/marijuanas-lasting-effects-brain>.

NIDA. (2011). *Messages from the Director: "Bath Salts:" Emerging and Dangerous Products (February 2011)*. Available at: <http://www.drugabuse.gov/about-nida/directors-page/messages-director/2011/02/bath-salts-emerging-dangerous-products>.

- NIDA. (2011). *NIDA DrugFacts: Khat*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.
- NIDA. (2011). *NIDA Topics in Brief: Marijuana*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.
- NIDA. (2011). *Research Report Series: Hallucinogens and Dissociative Drugs*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.
- NIDA. (2010). *Drugs, Brains, and Behavior: The Science of Addiction*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.
- NIDA. (2010). *NIDA DrugFacts: Club Drugs*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.
- NIDA. (2010). *NIDA DrugFacts: Cocaine*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.
- NIDA. (2010). *NIDA DrugFacts: Marijuana*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.
- NIDA. (2010). *NIDA DrugFacts: MDMA (Ecstasy)*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.
- NIDA. (2010). *NIDA DrugFacts: Methamphetamine*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.
- NIDA. (2010). *NIDA Research Report Series: Marijuana Abuse* (updated September 2010). Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.
- NIDA. (2009). *NIDA DrugFacts: Hallucinogens – LSD, Peyote, Psilocybin, and PCP*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.
- NIDA. (2009). *NIDA DrugFacts: Salvia*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.

NIDA. (2009). *Mind over Matter: Opiates*. Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.

NIDA. (2001). *NIDA Research Report Series: Hallucinogens and Dissociative Drugs* (printed March 2001). Rockville, MD: U.S. Department of Health and Human Services, National Institutes of Health.

North American Congress of Clinical Toxicology (NACCT). (2012). Abstracts from the 2012 Annual Meeting of the North American Congress of Clinical Toxicology (NACCT), October 1-6, 2012, Las Vegas, NV, USA. *Clinical Toxicology*, 50, 574-720.

Office of National Drug Control Policy (ONDCP). (2012). *Synthetic Drugs (a.k.a., K2, Spice, Bath Salts, etc.)*. Available at: <http://www.whitehouse.gov/ondcp/ondcp-fact-sheets/synthetic-drugs-k2-spice-bath-salts>.

Páleníček, T., Fujáková, M., Brunovský, M., Horáček, J., Gorman, I., Balíková, M., Rambousek, L., et al. (2013). Behavioral, neurochemical and pharmacology-EEG profiles of the psychedelic drug 4-bromo-2,5-dimethoxyphenethylamine (2C-B) in rats. *Psychopharmacology*, 225(1), 75-93.

Papanti, D., Schifano, F., Botteon, G., Bertossi, F., Mannix, J., Vidoni, D., Impagnatiello, M., Pascolo-Fabrizi, E., & Bonavigo, T. (2013). “Spicephrenia”: A systematic overview of “Spice”-related psychopathological issues and a case report. *Human Psychopharmacology*, 28, 379-389.

Parrott, A.C. (2013). Human psychobiology of MDMA or “Ecstasy”: An overview of 25 years of empirical research. *Human Psychopharmacology*, 28, 289-307.

Primo Promotions, LLC. (2011). *Safe Series: Fake Cocaine – Crazy for a High* (Item number PPL-SA-23). Reserve, LA: Author. Brochure ordering information available at: [www.primopromollc.com](http://www.primopromollc.com).

Primo Promotions, LLC. (2011). *Safe Series: Fake Weed – Unknown Danger* (Item number PPL-SA-21). Reserve, LA: Author. Brochure ordering information available at: [www.primopromollc.com](http://www.primopromollc.com).



- Primo Promotions, LLC. (2009). *Safe Series: Salvia Divinorum – Herbal Nightmare* (Item number PPL-SA-13). Reserve, LA: Author. Brochure ordering information available at: [www.primopromollc.com](http://www.primopromollc.com).
- Prosser, J.M. & Nelson, L.S. (2012). The toxicology of bath salts: A review of synthetic cathinones. *Journal of Medical Toxicology* 8(1), 33-42.
- Radhakrishnan, R., Addy, P.H., Sewell, R.A., Skosnik, P.D., Ranganathan, M., & D'Souza, D.C. (2012). Cannabis, cannabinoids, and the association with psychosis. In: B. Madras, M.J. Kuhar (Eds.). *The Effects of Drug Abuse on the Human Nervous System*. Neuroscience-Net, LLC.
- Reissig, C.J., Carter, L.P., Johnson, M.W., Mintzer, M.Z., Klinedinst, M.A., & Griffiths, R.R. (2012). High doses of dextromethorphan, an NMDA antagonist, produce effects similar to classic hallucinogens. *Psychopharmacology*, 223(1), 1-15.
- Rosenbaum, C.D., Carreiro, S.P., & Babu, K.M. (2012). Here today, gone tomorrow...and back again? A review of herbal marijuana alternatives (K2, Spice), synthetic cathinones (Bath Salts), Kratom, Salvia divinorum, methoxetamine, and piperazines. *Journal of Medical Toxicology*, 8(1), 15-32.
- Sacco, L.N. & Finklea, K.M. (2011). *Synthetic Drugs: Overview and Issues for Congress*. Washington, D.C.: Congressional Research Service.
- Schneir, A.B., Cullen, J., & Ly, B.T. (2011). "Spice" girls: Synthetic cannabinoid intoxication. *Journal of Emergency Medicine*, 40(3), 269-299.
- Seely, K. Lapoint, J., Moran, J.H., & Fattore, L. (2012). Spice drugs are more than harmless herbal blends: a review of the pharmacology and toxicology of synthetic cannabinoids. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 39(2), 234-243.
- Sewell, R.A., Skosnik, P.D., Garcia-Sosa, I., Ranganathan, M., & D'Souza, D.C. (2010). Behavioral, cognitive and psychophysiological effects of cannabinoids: Relevance to psychosis and schizophrenia. *Rev Bras Psiquiatr* 32(1), S15–S30.

- Shortall, S.E., Green, R., Swift, K.M., Fone, K.C.F., & King, M.V. (2013). Differential effects of cathinone compounds and MDMA on body temperature in the rat, and pharmacological characterization of mephedrone-induced hypothermia. *British Journal of Pharmacology*, *168*(4), 966-977.
- Simmler, L.D., Buser, T., Donzelli, M., Schramm, Y., Dieu, L.-H., Huwyler, J., Chaboz, S., et al. (2013). Pharmacological characterization of designer cathinones in vitro. *British Journal of Pharmacology*, *168*(2), 458-470.
- Slomski, A. (2012). A trip on “bath salts” is cheaper than meth or cocaine but much more dangerous. *Journal of the American Medical Association*, *308*(23), 2445-2447.
- Sogawa, C., Sogawa, N., Tagawa, J., Fujino, a, Ohyama, K., Asanuma, M., Funada, M., et al. (2007). 5-Methoxy-N,N-diisopropyltryptamine (Foxy), a selective and high affinity inhibitor of serotonin transporter. *Toxicology Letters*, *170*(1), 75-82.
- Spiller, H.A., Ryan, M.L., Weston, R.G., & Jansen, J. (2011). Clinical experience with and analytical confirmation of “bath salts” and “legal highs” (synthetic cathinones) in the United States. *Clinical Toxicology*, *49*, 499-505.
- Stanley, N., Salem, A., & Irvine, R.J. (2007). The effects of co-administration of 3,4-methylenedioxymethamphetamine (“ecstasy”) or para-methoxyamphetamine and moclobemide at elevated ambient temperatures on striatal 5-HT, body temperature and behavior in rats. *Neuroscience*, *146*(1), 321-329.
- Tancer, M., & Johanson, C-E. (2003). Reinforcing, subjective, and physiological effects of MDMA in humans: A comparison with d-amphetamine and mCPP. *Drug and Alcohol Dependence*, *72*, 33-44.
- Uchiyama, N., Kawamura, M., Kikura-Hanajiri, R., & Goda, Y. (2013). URB-754: A new class of designer drug and 12 synthetic cannabinoids detected in illegal products. *Forensic Science International*, *227*(1-3), 21-32.
- U.S. Drug Enforcement Administration, Office of Diversion Control. (2012). *National Forensic Laboratory Information System Special Report: Emerging 2C-Phenethylamines, Piperazines, and Trypamines in NFLIS, 2006-2011*. Springfield, VA: Author.

- Vandrey, R., Dunn, K.E., Fry, J.A., & Girling, E.R. (2012). A survey study to characterize use of Spice products (synthetic cannabinoids). *Drug and Alcohol Dependence*, *120*, 238-241.
- Vardakou, I., Pistos, C., & Spiliopoulou, C. (2010). Spice drugs as a new trend: mode of action, identification and legislation. *Toxicology Letters*, *197*(3), 157-162.
- Volkow, N. (2011). *Message from the Director: "Bath Salts" – Emerging and Dangerous Products*. Rockville, MD: National Institute on Drug Abuse.
- Wilkins, C. & Sweetsur, P. (In press). The impact of the prohibition of benzylpiperazine (BZP) 'legal highs' on the prevalence of BZP, new legal highs and other drug use in New Zealand. *Drug and Alcohol Dependence*, E-pub ahead of print available at: [http://ac.els-cdn.com/S0376871612002463/1-s2.0-S0376871612002463-main.pdf?\\_tid=7fdabc62-ffd0-11e1-aacd-00000aab0f26&acdnat=1347780856\\_b9b4c4ddeb7e93c6203a6d6714ec608a](http://ac.els-cdn.com/S0376871612002463/1-s2.0-S0376871612002463-main.pdf?_tid=7fdabc62-ffd0-11e1-aacd-00000aab0f26&acdnat=1347780856_b9b4c4ddeb7e93c6203a6d6714ec608a).
- Winstock, A.R., & Barrett, M.J. (2013). Synthetic cannabis: A comparison of patterns of use and effect profile with natural cannabis in a large global sample. *Drug and Alcohol Dependence*, *131*, 106-111.
- Wood, D.M. & Dargan, P.I. (2012). Use and acute toxicity associated with the novel psychoactive substances diphenylprolinol (D2PM) and desoxypipradrol (2-DPMP). *Clinical Toxicology*, *50*, 727-732.